



10811 Shoemaker Ave. Santa Fe Springs, CA 90670
E-mail : sales@versiton.com www.versiton.com
Toll Free : 1-855-393-5668
Local Call : 1-562-428-0010

PRODUCT GUIDE 2017



Versiton has strived to offer innovative products at competitive pricing since opening our doors back in 2010. Since that day it has been our goal to offer an exceptional customer experience matched only by the quality and scope of products that we provide.



TVI/AHD/CVI/Ex-SDI Camera

TVI/AHD/CVI	Fixed Eyeball
	2.8 or 3.6mm
	2 Array IR 90ft
	100dB True WDR
	DC12V
1080P, Metal, ICR, 3DNR, IP66, OSD Control thru Coax	
Fixed (2.8mm)	Fixed (3.6mm)
VXC-8WE2	VXC-8WE3

TVI/AHD/CVI	Varifocal Eyeball
	2.8~12mm
	3 Array IR 120ft
	1080P, Metal, IP66, ICR OSD Control thru Coax
	DC12V
	100dB True WDR / D-WDR
Motorized	Varifocal
VXC-8WE21AF	VXC-8DE21

TVI/AHD/CVI	Fixed Bullet
	3.6mm
	2 Array IR 90ft
	100dB True WDR
	DC12V
1080P, Metal, ICR, 3DNR, IP66, OSD Control thru Coax	
Fixed	
VXC-8WB3	

TVI/AHD/CVI	Varifocal Bullet
	2.8~12mm
	4 Array IR 160ft
	1080P, Metal, IP66, Control thru Coax, DC12V
	100dB True WDR / D-WDR
Motorized	Varifocal
VXC-8WB21AF	VXC-8DB21

TVI/AHD	Fixed Mini Vandal
	2.8 or 3.6mm
	IR 60ft
	IP66
	DC12V
1080P, Metal, True D/N ICR, 3DNR	
Fixed (2.8mm)	Fixed (3.6mm)
VTC-8AV2	VTC-8AV3

TVI/AHD	Varifocal Vandal
	2.8~12mm
	36IR 120ft
	IP66
	DC12V
1080P, Metal, True D/N ICR, 3DNR	
Varifocal	
VTC-8AV21	

TVI/Ex-SDI	Varifocal Vandal
	2.8~12mm
	36IR 150ft
	True WDR
	AC/DC
1080P, Metal, IP66, OSD, ICR, 3DNR, 2nd Video	
Varifocal	Wall mount
VAC-8SVW21A	SV-WMT100

TVI/Ex-SDI	Varifocal Indoor
	2.8~12mm
	30IR 120ft
	True WDR
	AC/DC
1080P, OSD, ICR, 3DNR, 2nd Video	
Varifocal	
VAC-8SDW21A	

TVI	License Plate
LPR	6~50mm
	36IR 200ft
	upto 50mph
	AC/DC
1080P, Metal, IP66, True WDR, ICR, 3DNR, 2nd Video out, Mount not included	
LPR Camera only	Mount
VTC-8LPR	HM-205

Wall / Ceiling Mount		
		for Mini Vandal with
Mount for VTC-8AV21	JB30	
Wall	Ceiling	Wall
VLCM-W20	VLCM-C20	VLCM-W30

Junction Box		
for VTC-8AV21	for other VTC cameras	for Mini Vandal
VLCM-JB20	VLCM-JB10	VLCM-JB30

Junction Box for VXC eyeball	
for VXC Fixed	for VXC Varifocal
Small	Big
VLCM-JB40	VLCM-JB50

Lite Series TVI DVR

Video Input type	TVI/AHD/IP/Analog		TVI/AHD/IP/Analog		TVI/AHD/IP/Analog	
Lite Series						
Model	VTD-2104	VTD-2108	VTD-L216	VTD-2216	VTD-2816	VTD-L832
Total CH (BNC + IP)	5 CH	9 CH	24 CH	20 CH	20 CH	32 CH
Input BNC CH	4 CH	8 CH	16 CH	16 CH	16 CH	32 CH
Input IP	IPC*1/ upto 5MP	IPC*1/ upto 5MP	IPC*8/24Mbps	IPC*4/ upto 5MP	IPC*4/ upto 5MP	N/A
Video Output	1@HDMI(4K) / 1@ VGA(1080P)		1@HDMI/ 1@ VGA		1@HDMI(4K) / 1@ VGA(1080P)	
Spot Out	CVBS		N/A	CVBS	CVBS	N/A
Live	Real-time upto 5MP		Real-time 1080P	Real-time upto 5MP	Real-time upto 5MP	
Recording (BNC)	1080P@48fps 720P@120fps	1080P@96fps 720P@240fps	1080P@240fps 720P@480fps	1080P@192fps 720P@480fps	1080P@192fps 720P@480fps	1080P@480fps 720P@960fps
Recording (IP)	1080P@12fps	1080P@24fps	1080P@24fps		1080P@24fps	
Playback	4CH	8CH	8 CH	16 CH	16CH	
HDD & ODD	1 SATA		2 SATA		8 SATA	
Audio I/O	RCA*1 In / RCA*1 Out		RCA*4 In / RCA*1 Out		RCA*16 In / RCA*1 Out	RCA*1 In / RCA*1 Out
2-way audio	Take up channel one audio input		Take up channel one audio input		RCA * 1	
Alarm I/O	N/A		N/A		16 in / 4 out	
Port	RS-485 *1, USB 2.0 *2		RS-485 *1, USB 2.0 *2		RS-485 *2, USB 2.0 *2, Remote Controller	
Network	Mobile app(SuperLive Pro), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10users online					
Rackmount ear	N/A		N/A		Included	
Power supply	DC12V		DC12V		ATX	
Dimensions (inch)	10.0*8.3*1.7 (1U)	11.8*10.6*2.3 (1U)	17.0*11.8*2.3 (1U)		17.0*17.7*3.5 (2U)	
Made in	China		China		China	

Premium Series TVI DVR

Video Input type	TVI/AHD/Analog			TVI/AHD/CVI/Ana	Ex-SDI/HD-SDI/TVI/AHD/Analog			
Premium Series								
Model	EL4-041	EL4-082	EL4-162	PM4-165A	PMT-085	PMT-165		
Input CH	4 CH	8 CH	16 CH	16 CH	8 CH	16 CH		
Video Output	1@HDMI(1080P) / 1@ VGA(1080P)			1@HDMI(1080P) / 1@ VGA(1080P)				
Live	Real-time upto 1080P			Real-time upto 1080P				
Recording (BNC)	1080P @ Real-time		1080P@240fps	1080P @ Real-time				
Spot Out	N/A	N/A	N/A	1 HD Spot(Programmable) / 1 BNC Spot				
Playback	4CH	8CH	16CH	16 CH	8CH	16 CH		
HDD & ODD	1 HDD	2 HDD		5 HDD or 4 HDD with ODD				
Audio I/O	RCA*4 In / RCA*1 Out			RCA*16 In / RCA*1 Out	RCA*8 In / RCA*1 Out	RCA*16 In / RCA*1 Out		
2-way audio	RCA * 1			RCA * 1				
Alarm I/O	N/A	4 in / 1 out		18 in / 8 out	10 in / 4 out	18 in / 8 out		
Port	RS-485 *1, USB 2.0 *2			RS-485 *2, USB 2.0 *3				
Network	Mobile app(nViewer), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10 users online							
Rackmount ear	N/A		Included					
Power supply	DC12V		ATX					
Dimensions (inch)	10.0*9.3*1.7 (1U)	13.8*11.8*1.7 (1U)	16.9*14.5*3.5 (2U)					
Made in	Korea							

IP CAMERA

5MP H.265/H.264	360 IP cam	4MP H.265/H.264	Fixed Eyeball	4MP H.265/H.264	Varifocal Eyeball
	1.49mm Fisheye			3.6mm	2.8~12mm
	Free dewarping software		2 Array IR 90ft		3 Array IR 120ft
	True WDR		Digital WDR		Digital WDR
	PoE/DC12V		PoE/DC12V		PoE/DC12V
Dewarping with only PC NVR, 5MP@30fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@15fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@15fps	
5MP		4MP		4MP	
PIC-5360F		VIC-4RE3		VIC-4RE21	
4MP H.265/H.264	Fixed Bullet	4MP H.265/H.264	Varifocal Bullet	4MP H.265/H.264	Fixed Bullet
	3.6mm		2.8~12mm		2.8 or 3.6mm
	2 Array IR 90ft		4 Array IR 160ft		Matrix IR 60ft
	Digital WDR		Digital WDR		True WDR
	PoE/DC12V		PoE/DC12V		PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66, 4MP@15fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@15fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@30fps	
4MP		4MP		4MP (2.8mm)	4MP (3.6mm)
VIC-4RB3		VIC-4RB21		VIC-4OEM2	VIC-4OEM3
4MP H.265/H.264	Fixed mini Vandal	4MP H.265/H.264	Varifocal Vandal	4MP H.265/H.264	Fixed Bullet
	3.6mm		Motorized AF		3.6mm
	IR 60ft		36IR 120ft		IR 60ft
	True WDR		True WDR		True WDR
	PoE/DC12V		PoE/DC12V		PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66, 4MP@30fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@30fps		Metal, True D/N ICR, 3DNR, IP66, 4MP@30fps	
4MP		4MP (3.3~12mm)		4MP	
VIC-4OV3		VIC-4OV31M		VIC-4OB3	
4MP H.265/H.264	Varifocal Bullet	3MP H.265/H.264	Fixed mini Vandal	3MP H.265/H.264	Varifocal Vandal
	Motorized AF		3.6mm		3.3~12mm
	IR 150ft		IR 60ft		36IR 120ft
	True WDR		Digital WDR		Digital WDR
	PoE/DC12V		PoE/DC12V		PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66, 4MP@30fps		Metal, True D/N ICR, 3DNR, IP66, 3MP@30fps		Metal, True D/N ICR, 3DNR, IP66, 3MP@30fps	
4MP (3.3~12mm)		3MP		3MP(3.3~12mm)	
VIC-4OB31M		VIC-330OV3		VIC-330OV21	

IP CAMERA

OnVIF

3MP H.265/H.264	Fixed Bullet	3MP H.265/H.264	Varifocal Bullet	3MP H.265/H.264	LPR
	3.6mm IR 60ft Digital WDR PoE/DC12V Metal, True D/N ICR, 3DNR, IP66, 3MP@30fps		Motorized AF IR 150ft True WDR PoE/DC12V Metal, True D/N ICR, 3DNR, IP66, 3MP@30fps		6~50mm upto 50mph True WDR PoE/DC12V Metal, IP66, True WDR, ICR, 3DNR, Mount not included, 3MP@30fps
3MP	3MP(3.3~12mm)	VIC-330AB21M	3MP(6~50mm)	VIC-3LPR65	
VIC-330OB3					

Lite Series H.265 4K IP NVR

	H.265 / H.264 IP PoE 4K NVR			H.264 IP PoE NVR
H.265 / H.264				
Model	VIN-5104-P4	VIN-5108-P8	VIN-5832-P16	VIN-216-128P8
Input IP	4CH, 120fps@ upto 5MP	8CH, 240fps@ upto 5MP	32CH, 960fps@ upto 5MP	16CH, 480fps@ upto 3MP
Max. Bandwidth	40 Mbps in/out	64 Mbps in/out	160 Mbps in/out	128 Mbps
Video Output	1@HDMI(4K) / 1@ VGA(1080P)			1@HDMI(1080P) / 1@ VGA(1080P)
PoE port	4 port	8 port	16 port	8 port
Live CH	4CH	8CH	32CH	16CH
Recording Res. / CH	upto 5MP(2592x1944)			upto 1080p (1920x1080)
Recording fps	120fps	240fps	960fps	480fps
Recording Bit Rate	64Kbps~10Mbps		256Kbps~12Mbps	256Kbps~12Mbps
Playback	4CH	8CH	16CH	4CH
HDD	1 SATA	1 SATA	8 SATA	2 SATA
Audio I/O	8 CH IPC input / RCA*1 Out		32 CH IPC input / RCA*1 Out	16 CH IPC input / RCA*1 Out
2-way audio	RCA*1		RCA * 1	RCA*1
Alarm I/O	support IPC alarm input		16 CH local input, support IPC alarm input	4 CH local input, support IPC alarm input
Port	RS-485 *1, USB 3.0*1, USB 2.0 *1		RS-485 *1, USB 3.0*1, USB 2.0 *1	RS-485 *1, USB 3.0*1, USB 2.0 *1
Network	TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 20users online			
Rackmount ear	N/A		Included	Optional
Power supply	DC12V / DC48V(PoE)		ATX	ATX
Dimensions (W*D*H) inch	10.0*8.3*1.7 (1U)		17.0*17.7*3.5 (2U)	17.0*11.8*2.3 (1U)
Made in	China		China	China

CCTV ACCESSORIES

Micro Phone



Microphone, RCA, Single zone audio surveillance kit
DC12V

Single

Kit

ACC-MIC-AM01

ACC-MIC-SM5

DC plug Pigtail



PIGTAIL CONNECTOR, 2.1 mm DC Jack
Pigtail

male (10 pack)

female (10 pack)

ACC-PIGTAIL-M*10

ACC-PIGTAIL-F*10

DC plug terminal



DC screw Connector Terminal Block,
2.1mm Plug, male

male (10 pack)

female (10 pack)

DC-SCREW-M*10

DC-SCREW-F*10

DC plug Pigtail



1 in multi out DC connector pigtail,
2.1mm x 5.5mm, for the Power supply
side

4 out

8 out

ACC-PGT-4M

ACC-PGT-8M

Warning Sign



4"

11"

CCTV Warning Sign

4x4 Sticker

11x11 Board

ACC-DTV-205

ACC-STV-204

HD SDI converter



HD SDI to HDMI
Converter &
Repeater

HD-SDI to Fiber
Optic Digital Video
Extender

to HDMI

to Fiber

XHD-CR-11HM

XHD-FO-BLN

VIDEO DISTRIBUTION AMPLIFIER



VIDEO DISTRIBUTION AMPLIFIER for
Analog / HD-TVI / CVI / AHD,
16inputs,48outputs, AC110

16 in / 48 out

ACC-VDA-1648

TVI to HDMI Converter



1080P TVI to HDMI
Converter and
Repeater(1000ft)

TVI in/HDMI out

XHD-T2MCR

TVI to HDMI Extender



HDMI Extender thru
CAT5, 360ft

Pair

XHD-HDMI-60E

HD Balun (TVI, CVI, AHD,analog) Pair



HD TVI, CVI, AHD, CCTV BALUN PAIR,
OVER UTP(CAT5), 1000FT,
Passive+Passive

Straight

Cable Type



TVI,CVI,AHD Balun
with Power, 1000ft,
Stackable



Ex-SDI, HD-SDI
Balun, 1000ft,
Stackable

Video/Power

Cable type

BLN-1KPSHD

BLN-1KPSHD-CBL

BLN-1KPTHD

BLN-1KSDI-CBL

HD-SDI/Ex-SDI

16CH TVI Balun Kit



TVI, CVI, AHD 16CH Balun Kit, Video &
Power Supply DC12V 20A, 1.25A/CH,
Video 2000ft, Power upto 700ft

16CH Video+Power & 16 Baluns

BLN-VPS16TR

CCTV ACCESSORIES

BNC Connectors

BNC TWIST-ON	BNC-CRIMP 2PC	MALE	BNC BARREL	BNC-RCA-FEMALE	BNC - RCA MALE
10 pack BNC-TW*10	10 pack BNC-CR*10	10 pack COMPR*10	10 pack BNC-BA*10	10 pack RCA-F*10	10 pack RCA-M*10

Camera Mounts



HOUSING MOUNT 285MM ALUMINUM

HM-205

Camera Housing

15.4"	15.4"	15.4"
OUTSIDE CAMERA HOUSING 142X115X392mm	Outdoor, Top open, AC24V	OUTSIDE PLASTIC HOUSING W/ WIRE PASSTHROUGH WITH METAL BRACKET(HM- 208)
Heater & Blower		Heater & Blower
HS-605	HS-605HB	HS-619-WM
		HS-619HB-WM

Weather-resistant IR Illuminator



112 Leds, 60
Degree angle / 110VAC 77 Leds, 80 Degree
angle / DC12V

180ft 90ft
IRI-SAL-80 IRI-SAL-30

Power adaptor / UL Listed

12VDC 1,000mA TRANSFORMER	12VDC 2,000mA TRANSFORMER	12VDC 5A - Include IEC Power Cord	24V AC-Input 120VAC 60Hz AC
DC12V / 1 Amp	DC12V / 2 Amp	DC12V / 5 Amp	AC24V / 1.67Amp
PS-10DC12UL	PS-20DC12UL	PS-50DC12UL	PS-24VAC40

4CH Power adaptor



4CH Power Supply, LED indicator, Built in
PTC Fuse, 4 Terminal blocks

DC12V / 5 Amp
PS-50DC4CH

Power Box (AC)

Power Box (DC)

UL Listed



AC24V, 9CH BOX, 5
Amp

AC24V, 18CH BOX,
20 Amp

PTC, Fuseless

PTC, Fuseless

DC12V, 18CH, 29Amp, **UL Listed**, Fuse

AC / 9CH

AC / 18CH

9CH / 10A

18CH / 20A

18CH / 29A

PS-A0905

PS-A1820

PS-D0910

PS-D1820

PS-D1829U

CCTV ACCESSORIES

Premade Cables



Fusion Premade Cable for HD-TVI / CVI / AHD / 960H, BNC M-M, Power M-F, Black

50ft	100ft	150ft
------	-------	-------

PM50-MC	PM100-MC	PM150-MC
---------	----------	----------

BNC Patch Code



Patch cord
PREMADE single,
M to M

3.2ft

CA-PMP-10B



Patch cord
PREMADE 4ch,
M to M

6ft

CA-PM6F4B

HDMI cables



HDMI CABLE M/M 19PIN 30AWG SOLID
COPPER GOLD PLATED

3ft	6ft	10ft
-----	-----	------

CA-HDMI-3	CA-HDMI-6	CA-HDMI-10
-----------	-----------	------------

CAT5e Cable



UL Listed

UTP CAT 5E, 4 PAIR, 350MHZ, F/C, 1000FT

Full Copper

CA-CAT5-1KW

CAT6 Cable



UL Listed, UTP CAT6E, 4 PAIR, PVC, 23
AWG, 550MHZ,

SHIELDED

PLENUM

CA-CAT6-1K

CAT6-1K-SH

CAT6-1K-PLE

Coax and Power Siamese Cable 500ft



UL Listed, SIAMESE CABLE, 95% RG59
COAX + 18/2 POWER, BLACK or White,
500FT, SPLITTYPE

Full Copper

CA-CBS-05W(B)

Coax and Power Siamese Cable 1000ft



UL Listed, SIAMESE CABLE, 95% RG59
COAX + 18/2 POWER, BLACK or White,
1000FT, SPLITTYPE,

Full Copper

CA-CBS-10W(B)

PoE Switches



802.3af (PoE) Max 15.4W/Per Port

4 PoE + 1 uplink

PL-FSD-504HP

802.3at (PoE+) Max 30W/Per Port

8 PoE

PL-FSD-808HP

16 PoE Gigabit

PL-GSW-1600HP

24PoE + 2 SFP up

PL-FGSW-2624HPS4

GB Non POE Switch



10/100/1000Mbps Fast Ethernet Switch

24 port

PL-GSW-2401

Injector / Extender



IEEE 802.3at PoE+

Injector (30W)

PL-POE-161

Extender (300ft)

PL-POE-E201

Converter / Module



10/100/1000Base-T to 1000Base-SX
Managed, 550m

SFP GBIC module

PL-MGB-SX

CCTV ACCESSORIES

LCD Monitor Mounts



15° tilt, Mounting Length: 40" to 62", Available for sloped ceiling, 200lbs

Fit for most 13"-27", * VESA :50x50,75x75,100x100, 66lbs

Flat	2 arms	13"- 42"	37" - 70"
LM-W12FL	LM-W12A2	LM-CS14T	LM-CS37T

LCD Monitor Mounts



-10°~0° tilt, Mounting profile: 46mm/1.8", 165lbs

-15°~+5° tilt; 118° swivel; -3°~-+3° level adjustment, Mounting profile: 92-380mm/3.6~15", 88lbs

23"-55"	37"-70"	26"-55"	37"-70"
LM-WL25T	LM-WL37T	LM-WA25WS	LM-WA37WS

DVR Lockbox



Lockbox for DVR or NVR, with Fan

Lockbox Wall mount



Lockbox Horizontal or Vertical Wall mount kit

18x18x5"	21x21x8"	21x24x8"	Horizontal	Vertical
EXL-LB18	EXL-LB21	EXL-LB24	EXL-LBWM-H	EXL-LBWM-V

CCTV Tester



HD TVI / analog Camera Tester

3.5" LCD

M-TM-35T

CCTV Tester



HD TVI / analog Camera Tester

7" LCD

M-TM-TA7

CCTV Tester



IP/TVI/AHD/CVI/analog

7" LCD

M-TM-70TCA

CAR DASH CAMERA

BlackVue Dashcam (Cloud)		Heavy Vehicle / Fleet (Cloud)			Mid end
Blackvue Free Cloud, WIFI, GPS , Front: Full HD(1080P)@30fps / Rear: HD(720P)@30fps Built-in G Sensor, 16 GB SD Card Included, upto 128GB					No wifi, No GPS
1CH	2CH	2CH LCD	2CH IR	2CH Truck IR	2 CH
DR650S-1CH	DR650S-2CH	DR650LS-2CH	DR650S-2CH-IR	DR650S-2CH-TRK	DR470-2CH

BlackVue Dashcam (Low end)		BlackVue Dashcam Accessories			
Full HD 1080p @30fps, with 16GB	HD 720P(front) & HD 720P(rear)	Protect battery discharge	12-hour extension, 3000mA	Battery Pack	Mount
1CH	2CH	PWR-M-PRO	BV-CIGARJACK	BV-B-112	BV-M-65
DR450-1CH	DR430-2CH				

VtrackPro Fleet Cam (Cloud Video tracking)					
VtrackPro™ 3CH Main Unit	Outside Rear IR for 3rd Cam	In-Cabin IR for 3rd Cam	Vandal Proof Dome IR for 3rd Cam	VtrackPro™ 7" LCD Monitor	Emergency foot switch
FPRO-300	FPRO-RCO	FPRO-RCI	FPRO-RCVD	FPRO-LCM	FPRO-EFS

Police Body worn Camera			
Body worn Cam, 1080P Full HD video	Charging station upto 10 bodycams	8hr extension battery pack	PTT cable
32GB	Charging/Transfer	Battery pack	Cable
BC-HX2-32	BC-DS-Q6	BC-BP-8H	BC-AC-PTC

SAMSUNG DIGITAL DOOR LOCK

Samsung Door Lock



Deadbolt only

Pin# / RFID

SHS-3321

Samsung Door Lock



Handle Type
Mortis (AML220)

Pin# / RFID / Key

SHS-H505

Samsung Door Lock



Handle Type
Mortis (AML220)

Pin# / RFID / Key

SHS-H625

Samsung Door Lock



Handle Type
Mortis (AML220)

Pin# / Finger Print / Key

SHS-H705

Samsung Door Lock



Push Pull
Mortis (AML220)

Pin# / RFID / Key

SHS-P717

Samsung Door Lock



Push Pull
Mortis (AML220)

Pin# / RFID / Finger Print / Key

SHS-P718

Extra Big Mortise



240mm Big mortise

SHS-AML320

Video Door Camera & Monitor Set



4.3" LCD



Pinhole lens, w/LED

Video Door Phone

SHT-3605PM

Door Camera

SHT-CW613EP

Remote Controller Set (SHS-7xx only)



Remote Controller

Doorlock Module

SHS-RMT-SET (SHS-7xx only)

Wallpad remote module set



any kind of wall pad compatible

Wallpad module

Doorlock Module

SHS-WPAD-SET (SHS-7xx only)

Smart Home connection Set



compatible with Amazon Echo &
other smart home devices /
smart phone control

Hub Set with WPAD-SET

SHS-SHUB-SET (SHS-7xx only)

RFID Accessories



RFID extra Card or Sticker

Card

Key tag

Sticker Tag

RFID-CARD

RFID-KEY

AKT300



10811 Shoemaker Ave. Santa Fe Springs, CA 90670

E-mail : sales@versiton.com www.versiton.com

Toll Free : 1-855-393-5668

Local Call : 1-562-428-0010

PRESORTED STD
U.S POSTAGE
PAID
Whittier, CA
PERMIT NO. 333

PRODUCT GUIDE 2017



VERSITON VIDEO TECHNOLOGY

10811 Shoemaker Ave. Santa Fe Springs, CA 90670

E-mail : sales@versiton.com www.versiton.com

Toll Free : 1-855-393-5668

Local Call : 1-562-428-0010

No.01 | February 2017